

Product Name: Black Hawk  
Product Description: Close quarter combat boot  
Product Code: RE911-S3 (Black)

REBEL

SAFETY GEAR

AFRICA'S HARDEST WORKING BOOTS



REBEL  
SAFETY GEAR



Materials

CE EUROPEAN STANDARD: EN ISO 20345:2004



Upper	Water-Resistant Heavy Duty Canvas - complete with Leather Buffers	Inner Sole	Biagioli IBITECH 252 2mm Foam Insole Board
Lining	Breathable and Abrasion Resistant Tai-brella (Equivalent to Cambrelle)	Eyelet	Nickel-free Eyelets and D-Rings
		Sole	Dual Density Poly Urethane Rebel Sole
		Midsole	Anti-Penetration Carbon Steel Midsole

Specifications

Specifications	<ul style="list-style-type: none"><li>European Norm ISO EN20345-S3 : 2004</li><li>Tested by Intertek - Approved Body Identification Number : 0362</li></ul>
Special Features	<ul style="list-style-type: none"><li>Hi-Leg Lightweight Security Boot</li><li>Heavy Duty Canvas has Water-Resistant coating which allows breathability and quick-drying</li><li>Steel Mid-Sole - essential for broken glass and hypodermic needles</li><li>Leather Buffer over complete toe area offers resistance to scuffing and wear</li><li>Lace Up Front over Padded Tongue</li><li>Quick Release Concealed Zip on side</li><li>Approved YKK zip</li><li>Padded Upper Collar ensures increased comfort</li><li>Dual-density PU Sole ensures maximum comfort and increased durability</li></ul>
Sole	<ul style="list-style-type: none"><li>Temperature Maximum 90°C (degrees Celsius)</li><li>Oil and acid resistant PU/Rubber</li><li>Slip Resistance - Tested to Intertek PM144 2004 and meets these requirements</li><li>However, care should always be taken on wet or oily surfaces</li><li>Crack Resistance - Tested to 30,000 flex cycles</li></ul>
Toe Cap	<ul style="list-style-type: none"><li>Tested to an impact resistance of 200 Joules</li></ul>
Anti Static Properties	<ul style="list-style-type: none"><li>Product is anti static. If application is life critical additional consultation with product expert is required. Electrical resistance can be significantly changed by flexing, contamination or moisture. Introduction of additional inner sole reduces static resistance</li></ul>
Sizing	<ul style="list-style-type: none"><li>Available from Size 4 to Size 13 (Unisex)</li></ul>
Lifespan	<ul style="list-style-type: none"><li>The application determines the length of service that should be achieved. Normal environments should provide 12 months' service, if appropriate care is taken. Refer Care guidelines</li></ul>

Uses

Suitability

Comments

Hospitality Industry	Highly suitable	
General	Highly suitable	
Construction	Widely used	
Mining	Widely used	Care in very wet areas required. Gumboots would be more suitable for wet area applications
Petrochemical	Widely used	Highly oil resistant but reference to chemical chart below is recommended
Engineering	Highly suitable	
Power Generation	Widely used	
Agriculture	Highly suitable	
Food & Health	Widely used	Reference to Chemical resistance in cleaning areas may be necessary
Fishing & Allied Industries	Suitability	
Fabrication	Suitability	
Metal Industries	Widely used	Temperature limitations must be observed
Motor Industry	Suitability	
Glass Manufacturing and Fabrication	Suitability	
Municipality	Highly suitable	
Waste Disposal	Suitability	
Civil Contracting	Widely used	
Moving and Rigging	Highly suitable	
Forestry	Suitability	
Telecommunications	Widely used	In the appropriate job requirement
Contract Labour	Highly suitable	
Transport - Air, Road & Rail	Widely used	
Transport - Shipping	Widely used	

It is important that the footwear selected must be suitable for the protection required by the wearer and the environment. If any uncertainty exists consultation between buyer and seller should be conducted to ensure that the correct footwear is selected. This application guide only offers very general advice and should be confirmed if there may be any concerns over potential protection from hazards of any form.

To view the complete REBEL Safetygear range, please visit: [www.rebelsafetygear.com](http://www.rebelsafetygear.com)