

**Product Datasheet model astrospec 9168 265**

UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth

<b>Product characteristics</b>	<ul style="list-style-type: none"><li>• one of the world's best-selling safety spectacles</li><li>• reliable protection provided by its perfect fit: multi-level side arm inclination and four different side arm lengths allow the wearer to adjust the spectacles to suit their own face shape</li><li>• integrated side protection</li><li>• panoramic polycarbonate lens with a flat lens shape for unrestricted vision</li><li>• soft, duo-flex ear pieces</li></ul>
<b>Technical details</b>  <b>Frame</b>  Material Colour	<b>Front piece</b> blend blue

Material	<b>Side piece</b>
Features	Nylon
Colour	4 positions length adjustability blue
Material	<b>Temple</b>
Features	Nylon, compound
Colour	Duo-flex temples, high comfort temple ends blue/black
Manufacturer's ID	<b>Marking</b>
code	W
Applicable EN norm	166
Tested acc. to DIN	DIN
Low-energy impact	F (45 m/s)
Conformity symbol	CE
<b>Lens</b>	
Material	PC
Thickness	2,2 mm
Coating	supravision excellence
Colour	clear
UV protection	UV 400
Filter	<b>Marking</b>
Manufacturer's ID	2-1,2 ( DIN EN 170)
code	W
Optical class	1
Low-energy impact	F (45 m/s)
Surface resistance to	K
fine particles	
Antifog	N
Tested acc. to DIN	DIN
Conformity symbol	CE

<b>Miscellaneous</b>	
Weight	36 g
Packing	5 spectacles per box 200 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170
PPE Category	Category II